

NIHS RESIDENCY TRAINING PROGRAM

Ophthalmology

Final Written Examination

Examination Format:

National Institute for Health Specialties NIHS (Emirate Board) final specialty written examination shall consist of two papers each with 100-125 Single Best Answer MCQs. Up to 10 % unscored items can be added for pretesting purposes.

Passing Score:

The pass mark in the Final Written Examination will be determined according to the scientific standards and based on reliable practices in assessment.





Suggested References:

- 1. American Academy of Ophthalmology (AAO) Basic and Clinical Science Course (BCSC) Sections 1-14; 2017-2018.
- Jack Kanski, Brad Bowling. Kanski's Clinical Ophthalmology: A Systematic Approach. 8th edition Saunders Elsevier's Health Sciences. ISBN 978-0-70205572-0.
- 3. Myron Yanoff, Jay Duker (2018) Ophthalmology, 5th edition. Elsevier.
- 4. Kenneth Wright, Peter Spiegel (2003). Pediatric ophthalmology and strabismus. Springer-Verlag New York.
- 5. Professionalism and Ethics, Handbook for Residents, Practical guide, Prof. James Ware, Dr. Abdulaziz Fahad Alkaabba, Dr. Ghaiath MA Hussein, Prof. Omar Hasan Kasule, SCFHS, Latest Edition.
- 6. Essentials of Patient Safety, SCHS, Latest Edition.

Note:

This list is intended for use as a study aid only. NIHS does not intend the list to imply endorsement of these specific references, nor are the exam questions necessarily taken solely from these sources.



Blueprint Outlines:

No.	Sections	Percentage
1	Anterior segment (including Lens, Cornea, External eye, Optics, Refraction and Refractive surgery)	25%
2	Glaucoma	12%
3	Retina	15%
4	Pediatric Ophthalmology	15%
5	Oculoplastic	15%
6	Neuro-ophthalmology	10%
7	Uveitis	8%
Total		100%

Notes:

- Blueprint distributions of the examination may differ up to +/-5% in each category.
- Percentages and content are subject to change at any time. See the website for the most up-to-date information.
- Research, Ethics, Professionalism, and Patient Safety are incorporated within various domains.



Example Questions

EXAMPLE OF K2 QUESTIONS Question 1

A 78-year-old man with ischemic heart disease and hypertension presented to the outpatient clinic concerned about an attach of painless loss of vision in his left eye for a 10-minutes duration. He describes the episode as a "gray window shade" being pulled down and then released.

Which is the most likely cause?

- A. Migraine
- B. Uhthoff phenomenon
- C. Retinal artery embolus
- D. Vertebro-basilar circulation insufficiency

